Laboratory Safety Inspection Form				
Building:	Room(s):	Department:		
Date of Inspection:	Laboratory Manager:	Inspected by:		

Yes	No	N/A			
Labor	Laboratory Access/ Emergency				
			Laboratory controlled access (doors locked when unoccupied).		
			Emergency contact information is posted in laboratory.		
			Specific warning signs (radiation hazard) are posted.		
Notes	Notes/Observations:				

Electr	Electrical Safety (NFPA)			
			Electrical cords/outlets/plugs are in good working condition.	
			Fuse protected power strips are used as necessary.	
			Proper use of extension cords is noted throughout the laboratory. Extension cords should not be used as a substitute for permanent wiring and no extension cords should be installed above ceiling tiles.	
			Ground fault circuit interrupters are installed on outlets within 6" of wet areas.	
Notes	s/Obser	vations	5:	

Fire/L	Fire/Life Safety (NFPA)				
			Fire extinguishers are clear of obstructions.		
			Exit routes are clear of obstructions.		
			Ceiling tiles in place (not missing or damaged).		
			Fire extinguishers are mounted properly.		
			Bunsen burner tubing is replaced when brittle or damaged.		
			Fire sprinklers are unobstructed (items are not stored within 18 inches).		
Notes	/Obser	vations	5:		

Personal Protective Equipment/Eyewash/Showers				
			Emergency shower/eyewash are available and clear of obstructions.	
		Personnel wear personal protective equipment (safety glasses, lab coat, gloves, etc.) as required/appropriate for task.		
Notes/Observations:				

Laboratory Safety Inspection Form				
Building:	Room(s):	Department:		
Date of Inspection:	Laboratory Manager:	Inspected by:		

Fume	Hoods		
			Fume hoods annually certified.
			Fume hoods are free of excess clutter that could disrupt airflow.
			Fume hood sash is kept down when not in use.
			Fume hoods are clear of power strips.
			Containers in fume hood are kept closed when not in use.
			Fume hoods are kept clean and in good working condition.
			Lab coats properly hung and stored when not in use (e.g., not hung from controls).
			Bunsen burners used in appropriate spaces (e.g., not in biosafety cabinets).
Notes	/Obser	vations	5:

Hazaı	Hazardous Waste Management			
			Hazardous waste containers are kept closed except when adding waste.	
			Empty chemical bottles are tripled rinsed prior to disposal.	
			Sharps are properly disposed in designated sharps containers.	
			Broken glass is properly disposed in designated box.	
			Hazardous waste containers are properly labeled or marked with the words "Hazardous Waste" (the label should include generator name, beginning date of accumulation, and contents).	
			Biohazardous waste is properly disposed (if applicable, refer to BSL inspection checklist).	
Notes	s/Obser	vations	5:	

Laboratory Safety Inspection Form				
Building:	Room(s):	Department:		
Date of Inspection:	Laboratory Manager:	Inspected by:		

Chem	Chemical Safety				
			Hazardous chemical containers stored safely and within reach.		
			Flammable chemicals are not stored in a household refrigerator.		
			Chemicals are stored safely to prevent creating a tripping hazard.		
			Chemicals are appropriately segregated based on hazard classification.		
			Chemical containers are kept in good working condition.		
			Perchloric and nitric acids are stored separate from organic materials and acids.		
			Peroxide forming chemicals are dated upon receipt and disposed of prior to		
			expiration date. Containers are labeled with dates of peroxide testing.		
			Chemicals are properly labeled to indicate contents. Missing or deteriorated		
			labels are replaced.		
			Chemical bottles are clearly dated after opening.		
			Chemicals stored in designated cabinets/areas.		
			Flammables are stored in an appropriately labeled flammable storage cabinet.		
			Safety Data Sheets (SDS) are available upon request (maintained in laboratory if applicable).		
			Compressed gas cylinders are properly secured.		
			Safety caps are placed on gas cylinders when not in use.		
			Spill kits are readily available.		
			Chemical inventory is up to date.		
Notes	/Obser	vations			

Other	•			
			Good housekeeping practices observed.	
			Vacuum pumps are in good working condition.	
			Unnecessary boxes and equipment are discarded when appropriate.	
			Hazard Communication Act Notice to Employees is posted within laboratory.	
			Refrigerators and microwaves are labeled with the words "For Laboratory Use Only".	
Notes	Notes/Observations:			